AMENDMENT NO. 1 FEBRUARY 2023

TO

IS 16415 : 2015 COMPOSITE CEMENT — SPECIFICATION

(*Page* 1, *Table* 1) — Substitute the following table in place of the existing:

Table 1 Material Proportion to be Used in Composite Cement

(*Clause* 5.1)

Sl No	Material	Proportion (Percent by Weight)
(1)	(2)	(3)
i)	Portland cement clinker	45, *Min*
	or	
	Ordinary Portland cement	50, *Min*
ii)	Fly ash	10 - 25
iii)	Granulated slag	25 - 40
	NOTE — Chemical gypsum shall be added provided that the performance requirements of the final product as specified in this standard are met with.	

[*Page* 3, *Table* 3, *Sl. No.* (iv), *col.* (3)] — Substitute the following for the existing:

‘23
33
43’

(CED 02)

Publication Unit, BIS, New Delhi, India